

**SANITARY CERTIFICATE FOR THE EDUCATIONAL INSTITUTIONS**

(The Tamilnadu Educational Rules Appendix - 30 Chapter XII - Rule 155(v)(e)  
Form of Sanitary Certificate)

Roc.No :5220/2025/H1

Virudhunagar Municipality  
Date 23-07-2025

It is certified that an inspection team headed by Municipal Sanitary Officer from Virudhunagar Municipality inspected the P.S.Chidambara Nadar Senior English School, No.110/2,Katchery Road, Virudhunagar. Which have been inspected on 23<sup>rd</sup> July 2025. After Inspection all parameters, We are pleased to give sanitary certificate with following conditions.

Subject to the conditions .

1. The class room and surrounding are maintained neat and clean.
2. The Sanitary arrangements provided are adequate and satisfactory.
3. The Garbage generated with in the school premises should be collected and disposed by appointing required sanitary staff.
4. On any account the Garbage shall not permit or kept more than 24 hours in the school premises.
5. Usage of plastic in the school is prohibited.
6. NOC should be obtained from the Food Safety Department to run a food Establishment (Canteen/Mess)with in premises.
7. Fire pre cautionary measures and first aid box should be provided.
8. Child labour should not be engaged on any account.
9. This Certificate is liable to be cancelled, with out notice, at any time if any health nuisance found to be under Tamil Nadu Public Health Act,1939.
10. Overhead Tank and water pump shall be hermetically sealed and scientifically closed and shall not be breeding sources of mosquitoes.
- 11.As per rule 3 of the TamilNadu prohibition and smoking and spitting rules 2003.
12. Display of sign boards (No Smoking area - Smoking here is an offence) of at least 60X30cm size inside the institution at various locations.
13. IEC materials like posters that give information about the till effects of tobacco have to be displayed inside institution.
14. Display of sign boards on sale of tobacco produce around the institution within 100 meter banned prominently near the main gate in outside wall face of the institution.
15. Drinking water shall be chlorinated and shall have 0.2ppm of residual chlorine.
16. Any cases of fever with rashes should be intimated immediately to Municipal Health Officer.
17. Fly/mosquitoes breeding shall not be permitted within school premises.
18. School must arrange hand washing facility for staff and students.
19. Social distance must be maintained.
20. Staff and Student should wear face mask during working hours.

This certificate issued is liable to be cancelled at any time on infringement if any of the about said conditions and for improper maintenance of sanitation, improper maintenance of the building as well as toilets in the school.


Certificate is valid for the period of one year from the date of issue.



Sanitary Officer  
Virudhunagar Municipality

*S. Raghavendra*  
CORRESPONDENT  
P. S. CHIDAMBARA NADAR  
SENIOR ENGLISH SCHOOL  
VIRUDHUNAGAR.

To:  
*A. J. 23-4-26*  
PRINCIPAL P.S.Chidambara Nadar Senior English School,  
No.110/2,Katchery Road,  
Virudhunagar.  
P. S. CHIDAMBARA NADAR  
SENIOR ENGLISH SCHOOL  
VIRUDHUNAGAR.



# TAMILNADU WATER SUPPLY AND DRAINAGE BOARD

## DISTRICT WATER TESTING LABORATORY

1/3929/1 Kasthuribhai Nagar, Pandiannagar,  
Virudhunagar - 626 001.

Phone: 04562 - 222159

E-mail: jwadtvlvr@gmail.com



### TEST REPORT

Doc.No: DWTL/FORM/7.8/01

Test Report No: 2025/VNR/3821	Report Issue Date :27/05/2025	Page No: 1 of 1
Invoice Details: 279/Dt.22/05/2025/Amt.Rs.1,652/		
ULR No : TC144892500000041F		

Client Name & Address	: P.S.Chidambara Nadar Senior English School,
Contact No / Email.ID	Kacheri Road, Virudhunagar.
Sample Name	: Water
Sample Code No	: 2025/VNR/3821
Sample Description*	: RO Water
Sample Submitted by	: Customer- Rajasekar
Location & Date	: Virudhunagar & 22/05/2025
Quantity of sample Received	: 2 Litre
Sample Container	: Jerry Cane - Good condition
Sample Condition on Receipt	: Good
Sample Received On	: 22/05/2025
Test Commenced on	: 22/05/2025
Test Completed on	: 27/05/2025
Environmental Condition	: Temperature°C - 26.4° C / Relative Humidity% - 58%

S.No	Parameters	Test Method	Unit	Result	Specification as per IS 10500 : 2012	
					Acceptable Limit	Permissible Limit
1	pH@25°C	IS 3025 Part 11-2022	-	6.67	6.5-8.5	6.5-8.5
2	Total Alkalinity as CaCO <sub>3</sub>	IS 3025 Part 23-2023	mg/L	44	200	600
3	Total Hardness as CaCO <sub>3</sub>	IS 3025 Part 21-2009 (RA-2019)	mg/L	14	200	600
4	Chloride as Cl	IS 3025-Part 32-1988 (RA-2019)	mg/L	63	250	1000
5	Sulphate as SO <sub>4</sub>	IS 3025-Part 24-Sec I/ 2022 Turbidity Method	mg/L	32	200	400
6	Nitrate as NO <sub>3</sub>	APHA 24rd Edition 2023 - 4500 - NO <sub>3</sub> - C	mg/L	3	45	45
7	Fluoride as F	APHA 24rd Edition 2023 - 4500- F-D	mg/L	0.62	1.0	1.5


Remark: The tested sample conformed to IS:10500:2012 (RA:2019) drinking water specifications with respect to Acceptable Limit / Permissible Limit for the tested parameters. ...End of the report...


Reviewed & Authorised By  
R. Vinesh Kumar B.Sc.,  
Junior Water Analyst

**Note:**

- The test results relate only to the items tested.
- The test report shall not be reproduced anywhere except in full and in the same format without the permission of the laboratory.
- Unless informed by customer, the test items will not be retained for more than 15 days from the date of the test report.
- The Result applied to the sample as Received basis
- \*Information is Provided by the Customer. Laboratory has not Responsible for the Sampling Stage

Issue No./Date	01/01.10.2021	Amend. No/ Date	01/13.07.2024	Page No	1 of 1
----------------	---------------	-----------------	---------------	---------	--------

  
PRINCIPAL  
P. S. CHIDAMBARA NADAR  
SENIOR ENGLISH SCHOOL  
VIRUDHUNAGAR

  
CORRESPONDENT  
P. S. CHIDAMBARA NADAR  
SENIOR ENGLISH SCHOOL  
VIRUDHUNAGAR



TAMILNADU WATER SUPPLY AND DRAINAGE BOARD  
DISTRICT WATER TESTING LABORATORY

1/3929/1 Kasthuribhai Nagar, Pandiannagar,  
Virudhunagar - 626 001.

Phone: 04562 - 222159

E-mail: jwadtlnr@gmail.com

TEST REPORT

Doc.No: DWTL/FORM/7.8/01

Test Report No: 2025/VNR/3821 N	Report Date :	27/05/2025
Invoice Details: 279/Dt.22/05/2025/Amt.Rs:1,652/		

Client Name & Address	: P.S.Chidambara Nadar Senior English School,
Contact No / Email.ID	Kacheri Road, Virudhunagar.
Sample Name	: Water
Sample Code No	: 2025/VNR/3821 N
Sample Description	: RO Water
Sample Submitted by	: Customer- Rajasekar
Location & Date	: Virudhunagar & 22/05/2025
Quantity of sample Received	: 2 Litre
Sample Container	: Jerry Cane - Good condition
Sample Condition on Receipt	: Good
Sample Received On	: 22/05/2025
Test Commenced on	: 22/05/2025
Test Completed on	: 27/05/2025
Environmental Condition	: Temperature°C - 26.4° C / Relative Humidity% - 58%

Sl.No	BACTERIOLOGICAL EXAMINATION:	Sample No. 2025/VNR/B.3822 Result	BIS 10500:2012 Max Limit
1	Fecal coliform CFU/100ml	0	0/100 ml

.....End of the report.....

Result: The water is chemically potable and bacteriologically safe.

Reviewed & Authorised By  
R. Vineth Kumar B.Sc,  
Junior Water Analyst

Note:

1. The test results relate only to the items tested.
2. The test report shall not be reproduced anywhere except in full and in the same format without the permission of the laboratory.
3. Unless informed by customer, the test items will not be retained for more than 15 days from the date of the test report.
4. The Result applied to the sample as Received basis
5. \*Information is Provided by the Customer. Laboratory has not Responsible for the Sampling Stage.

Issue No./Date	01/01.10.2021	Amend. No/ Date	01/13.07.2024	Page No	2 of 2
----------------	---------------	-----------------	---------------	---------	--------

*[Signature]*  
3.4.26  
PRINCIPAL  
P. S. CHIDAMBARA NADAR  
SENIOR ENGLISH SCHOOL  
VIRUDHUNAGAR.

*[Signature]*  
CORRESPONDENT  
P. S. CHIDAMBARA NADAR  
SENIOR ENGLISH SCHOOL,  
VIRUDHUNAGAR



# TAMILNADU WATER SUPPLY AND DRAINAGE BOARD

## DISTRICT WATER TESTING LABORATORY

1/3929/1 Kasthuribhai Nagar, Pandiannagar,  
Virudhunagar - 626 001.

Phone: 04562 - 222159

E-mail: jwadwtlvnr@gmail.com

### TEST REPORT

Doc.No: DWTL/FORM/7.8/01

Test Report No: 2025/VNR/3821 N	Report Date :	27/05/2025
Invoice Details: 279/Dt.22/05/2025/Amt.Rs:1,652/		

S.No	Parameters	Test Method	Unit	Result	Specification as per IS 10500 : 2012	
					Acceptable Limit	Permissible Limit
1	Appearance	Visual observation	--	Clear	Clear	Clear
2	Odour	IS 3025 Part 5 : 1983	--	None	Agreeable	Agreeable
3	Turbidity	APHA 23rd Edition 2017 - 2130 B	NTU	0	1	5
4	Total Dissolved Solids	APHA 23rd Edition 2017 - 2540 C	mg/L	244	500	2000
5	Conductivity	APHA 23rd Edition 2017 - 2510 B	$\mu$ S/cm	348	-	-
6	P - Alkalinity	IS 3025-Part 23-1983	mg/L	0	-	-
7	Calcium as Ca	APHA 23rd Edition 2017 - 3500 Ca B	mg/L	4	75	200
8	Magnesium as Mg	APHA 23rd Edition 2017- 3500 Mg B	mg/L	1	30	100
9	Sodium as Na	APHA 23rd Edition 2017- 3500 Na B	mg/L	40	-	-
10	Potassium as K	APHA 23rd Edition 2017- 3500 K B	mg/L	9	-	-
11	Iron as Fe	APHA 23rd Edition 2017- 3500 Fe B	mg/L	0	0.3	1
12	Manganese as Mn	APHA 23rd Edition 2017 - 3500 Mn B	mg/L	0	0.1	0.3
13	Ammonia as NH <sub>3</sub>	APHA 17th Edition-1989- 4500 NH <sub>3</sub> C	mg/L	0.	0.5	0.5
14	Nitrite as NO <sub>2</sub>	APHA 23rd Edition 2017- 4500-NO <sub>2</sub> B	mg/L	0	-	-
15	Total Phosphate as PO <sub>4</sub>	APHA 23rd Edition 2017 - 4500 P- D	mg/L	0	-	-
16	Residual Chlorine as Cl <sub>2</sub>	APHA 23rd Edition 2017 - 4500 Cl <sub>2</sub> D	mg/L	0	0.2	0.5
17	Tidys	APHA 23rd Edition 2017 - 4500 O - B	mg/L	0.6	-	-


....Report continue.....


Reviewed & Authorised By  
R.Vinoth Kumar B.Sc,  
Junior Water Analyst

#### Note:

1. The test results relate only to the items tested.
2. The test report shall not be reproduced anywhere except in full and in the same format without the permission of the laboratory.
3. Unless informed by customer, the test items will not be retained for more than 15 days from the date of the test report.
4. The Result applied to the sample as Received basis
5. \*Information is Provided by the Customer. Laboratory has not Responsible for the Sampling Stage.

Issue No./Date	01/01.10.2021	Amend. No/ Date	01/13.07.2024	Page No	1 of 2
----------------	---------------	-----------------	---------------	---------	--------

  
PRINCIPAL  
P. S. CHIDAMBARA NADAR  
SENIOR ENGLISH SCHOOL  
VIRUDHUNAGAR.

  
CORRESPONDENT  
P. S. CHIDAMBARA NADAR  
SENIOR ENGLISH SCHOOL,  
VIRUDHUNAGAR.